

### **AMENDMENTS TO THE CLAIMS**

*Please amend the claims as follows:*

1. (Currently Amended) An image print order system using a network, comprising:  
an order receiving server which is connected to said network; and  
a terminal unit connectable to said network, to which a computer-readable medium can be mounted; wherein

said terminal unit, when the computer-recordable medium, storing a digital image data, a server-connection address information, and a designated print-order acceptor information which designates an acceptor as a print-order destination, is mounted to the terminal unit, said terminal unit is connected to said order receiving server based on said server-connection address information so as to transmit said designated print-order acceptor information and at least a part of said digital image data at the same time to said order receiving server, and wherein

said order receiving server outputs a print command data based on the received digital image data, and outputs a command data so that a requester of a print order by which a receiver of an order in accordance with said designated print-order acceptor information can receive receives an image print that is printed based on said print command data, at a place that is determined based on the print-order acceptor information.

2. (Previously Presented) The image print order system according to claim 1, wherein said order receiving server is a WWW server.

3. (Currently Amended) The image print order system according to claim 2, wherein ~~said server-connection address information and said designated print-order acceptor information are~~ is recorded on said computer-recordable medium as URL data for specifying a WWW page created for each ~~receiver of the order~~ acceptor, and

said terminal unit, after acquiring the data of the WWW page for each of said ~~specified receivers of the order~~ acceptor designated by the print-order acceptor information, transmits said digital image data to said WWW server.

4. (Currently Amended) The image print order system according to claim 3, wherein the data of the WWW page for each of ~~said specified receivers of the order~~acceptor includes data for acquiring data of a WWW page of ~~another receiver~~an acceptor other than the receiver of the orderacceptor designated by ~~according to said designated print-order acceptor information.~~

5. (Currently Amended) The image print order system according to claim 3, wherein ~~said terminal unit, when the receiver of the order according to~~acceptor designated by said designated print-order acceptor information cannot receive the print order, the terminal unit obtains a WWW page of a substitutive receiveracceptor of the print order or a WWW page including order-receivable receiveracceptor data that indicates an acceptor which can receive the print order.

6. (Currently Amended) The image print order system according to any one of claims 1 to 5, wherein ~~when the receiver of the order according to~~acceptor designated by said designated print-order acceptor information cannot receive the print order or when the receiver of the orderacceptor is changed through selection by an the order-requester of the print order via said terminal unit, said order receiving server outputs command data so that the requester of the print order receives the image print from an acceptora receiver other than the acceptor designated by the receiver of the order according to said designated print-order acceptor informationreceives said image print.

7. (Currently Amended) The image print order system according to any one of claims 1 to 5, wherein said server-connection address information and ~~designated~~said print-order acceptor information are recorded when the digital image data is recorded in said computer-readable medium.

8. (Currently Amended) The image print order system according to any one of claims 1 to 5, wherein said ~~designated-print-order~~ acceptor information is data that specifies a ~~receiver~~designates the acceptor that originally created said computer-readable medium.

9. (Currently Amended) The image print order system according to any one of claims 1 to 5, wherein said server-connection address information and said ~~designated-print-order~~ acceptor information are renewable.

10. (Currently Amended) A computer-readable medium on which digital image data has been recorded, the medium which can be mounted to a terminal unit connectable to a network, ~~and the medium~~ which stores therein connection address data to an order receiving server connected to said network, ~~designated-print-order~~ acceptor information, and a run program, wherein:

the print-order acceptor information designates an acceptor as a print-order destination,  
and

the run program ~~for causing~~causes said terminal unit to connect to said order receiving server through said network when the computer-readable medium is mounted to said terminal unit and to transmit said image data and said ~~designated-print-order~~ acceptor information at the same time to said order receiving server so that said image data is printed according to said print-order acceptor information.

11. (Previously Presented) The computer-readable medium according to claim 10, wherein said order receiving server is a WWW server.

12. (Currently Amended) The computer-readable medium according to claim 11, wherein said ~~server-connection address information and designated~~the print-order acceptor information ~~are~~is URL data for specifying a WWW page created for each ~~receiver of the order~~acceptor.

13. (Currently Amended) The computer-readable medium according to any one of claims 10 to 12, wherein said server-connection address information and ~~designated~~the print-order acceptor information are recorded when the digital image data is recorded in said computer-readable medium.

14. (Currently Amended) The computer-readable medium according to any one of claims 10 to 12, wherein said ~~designated~~-print-order acceptor information is data that specifies a ~~receiver of request~~the acceptor of the print order to whom creation of said computer-readable medium has been requested.

15. (Currently Amended) The computer-readable medium according to any one of claims 10 to 12, wherein said server-connection address information and said ~~designated~~-print-order acceptor information are renewable.

16. (Currently Amended) A method for providing a computer-readable medium on which digital image data have been recorded, wherein at least one of (i) digital image data obtained by developing a photographic film before development and carrying out a photoelectrical conversion of the image after development, (ii) digital image data obtained by carrying out a photoelectrical conversion of the photographic film after development or an image of an image print, and (iii) digital image data recorded on other computer-readable mediums is recorded on said computer-readable medium, the method comprising:

recording on said computer-readable medium connection address data to a print order receiving server connected to a network, ~~designated~~-print-order acceptor information, and a run program, wherein:

the print-order acceptor information designates an acceptor as a print-order destination,  
and

~~for causing~~the run program causes a terminal unit to connect to said print order receiving server through said network when the computer-readable medium is mounted to said terminal unit and to transmit said digital image data and said ~~designated~~-print-order acceptor information

~~at the same time~~ to said print order receiving server so that said image is printed according to said print-order acceptor information.

17. (Previously Presented) The method for providing the computer-readable medium according to claim 16, wherein said order receiving server is a WWW server.

18. (Currently Amended) The method for providing the computer-readable medium according to claim 17, wherein said ~~server connection address information and designated print-order acceptor information are~~is recorded on said computer-readable medium as URL data for specifying a WWW page created for each ~~receiver~~acceptor.

19. (Currently Amended) The method for providing the computer-readable medium according to any one of claims 16 to 18, wherein said ~~designated print-order acceptor~~ information is data that specifies a provider that originally provided said computer-readable medium.

20. (Previously Presented) An image print ordering system, comprising:  
one or more print service receiving servers connected to a network; and  
a terminal configured to connect to the network and configured to mount a computer-readable medium, wherein

information stored within the computer-readable medium includes connection address data of a selected print service receiving server among the one or more print service receiving servers, requested service shop data, and image data,

the terminal is configured to transmit print request data, the requested service shop data, and the image data at the same time to the selected print service receiving server via the network based on the connection address data, and

the selected print service receiving server is configured to transmit reception data to a requested service shop corresponding to the requested service shop data to fulfill a print order corresponding to the print request data and the image data transmitted from the terminal.

21. (Previously Presented) The image print ordering system of claim 20, wherein the selected print service receiving server is configured to  
determine whether the requested service shop is an agency, and  
transmit the reception data to an alternate service shop to fulfill the print order when it is determined that the requested service shop is an agency.

22. (Previously Presented) The image print ordering system of claim 21, wherein the alternate service shop is configured to deliver a resulting print to the requested service shop.

23. (Previously Presented) The image print ordering system of claim 20, wherein the selected print service receiving server is configured to  
determine whether the requested service shop is unavailable, and  
transmit the reception data to an alternate service shop to fulfill the print order when it is determined that the requested service shop is unavailable.

24. (Previously Presented) The image print ordering system of claim 23, wherein the selected print service receiving server is configured to  
provide to a user of the terminal one or more available service shops capable of fulfilling the print order when it is determined that the requested service shop is unavailable, and  
receive the alternate service shop chosen by the user from the one or more available service shops.

25. (Previously Presented) The image print ordering system of claim 20, wherein the requested service shop originally records its data as the requested service shop data to the computer-readable medium.

26. (Previously Presented) The image print ordering system of claim 20, wherein the computer-readable medium further includes an automatic run program, and

the terminal is configured to automatically execute the automatic run program when the computer-readable medium is mounted to the terminal to connect to the selected print service receiving server.

27. (Previously Presented) The image print ordering system of claim 26, wherein the computer-readable medium further includes a to-network connection program operated by the automatic run program.

28. (Previously Presented) The image print ordering system of claim 26, wherein the computer-readable medium further includes a viewer program for viewing and selecting images and generating the print request data, the viewer program being operated by the automatic run program.

29. (Previously Presented) A method for fulfilling a print request from a terminal by a print service receiving server, the method comprising:

receiving a print request to print one or more images from a terminal via a network; and  
transmitting reception data to a requested service shop to fulfill a print order corresponding to the print request data and the image data received from the terminal,

wherein the print request is generated by the terminal based on information stored in a computer-readable medium mounted on the terminal, and

wherein information stored in the computer-readable medium include connection address data of the print service receiving server, service shop data of the requested service shop, and the image data such that the service shop data and the image data are transmitted at the same time in the print request by the terminal.

30. (Previously Presented) The method of claim 29, further comprising:  
determining whether the requested service shop is an agency; and  
transmitting the reception data to an alternate service shop to fulfill the print request when it is determined that the requested service shop is an agency.

31. (Previously Presented) The method of claim 29, further comprising:  
determining whether the requested service shop is unavailable; and  
transmitting the reception data to an alternate service shop to fulfill the print request  
when it is determined that the requested service shop is unavailable.

32. (Previously Presented) The method of claim 31, further comprising:  
providing to a user of the terminal one or more available service shops capable of  
fulfilling the print order when it is determined that the requested service shop is unavailable; and  
receiving the alternate service shop chosen by the user from the one or more available  
service shops.

33. (Previously Presented) The image print ordering system of claim 26,  
wherein the automatic run program executes an order content input processing program  
for viewing and selecting images and generating the print request data, and  
wherein the automatic run program connects to the selected print service receiving server  
prior to running the order content input processing program.

34. (Previously Presented) The image print ordering system of claim 33,  
wherein the selected print service receiving server provides the order content input  
processing program to the terminal through the network.

35. (Previously Presented) The method of claim 29, further comprising providing an  
order content input processing program to the terminal via the network prior to receiving the  
print request from the terminal, wherein the order content input processing program is executed  
by the terminal to generate the print request.

36. (Previously Presented) The image print order system according to claim 1,  
wherein information of a print order requester are recorded on the computer-readable medium.



37. (Previously Presented) The computer-readable medium according to claim 10, wherein information of a print order requester are recorded on the computer-readable medium.

38. (Previously Presented) The method for providing the computer-readable medium according to claim 16, further comprising:

recording information of a print order requester on the computer-readable medium.

39. (Previously Presented) The image print ordering system of claim 20, wherein the terminal is also configured to transmit a print order requester data to the selected print service receiving server, and

wherein the print order requester data is recorded in the computer-readable medium.

40. (Previously Presented) The method of claim 29, further comprising:

receiving a print order requester information from the terminal via the network,

wherein the print order requester data is recorded in the computer-readable medium.